

































50HZ

## Diesel Generator Powered by Weichai | Three Phase

### Specifications:(25KVA-1500KVA)

Genset Model	ESP		PRP		Consumption g/kw.h	Open L*W*H(mm)	Silent L*W*H(mm)	Engine Model	Country of origin	Cyl Arrangement	Displacement (L)	Lube oil(L)	Cooling
	KVA	KW	KVA	KW									
KGW25	28	22	25	20	224	1800*900*1270	2200*1000*1500	WP2.3D25E200		4L	2.289	8	Water
KGW38	42	33	38	30	212	1800*900*1300	2200*1000*1500	WP2.3D33E200		4L	2.289	8	Water
KGW45	50	39.6	45	36	216	1800*900*1300	2400*1000*1500	WP2.3D40E200		4L	2.289	8	Water
KGW50	55	44	50	40	220	1800*900*1300	2400*1000*1500	WP2.3D48E200		4L	2.3	8	Water
KGW75	83	66	75	60	208	1950*920*1340	2400*1000*1500	WP4.D66E200		4L	4.5	10	Water
KGW75	83	66	75	60	235	1950*920*1340	2400*1000*1500	WP4.1D66E200		4L	4.087	13	Water
KGW88	97	77	88	70	235	1850*700*1200	3000*1200*1700	WP4.1D80E200		4L	4.087	13	Water
KGW100	110	88	100	80	203	2200*800*1340	3000*1200*1700	WP4.1D100E200		4L	4.5	10	Water
KGW113	124	99	113	90	201	2200*800*1340	3000*1200*1700	WP4D100E200		4L	4.5	13	Water
KGW113	124	99	113	90	205	2200*820*1340	3000*1200*1700	WP4D108E200		4L	4.5	10	Water
KGW150	165	132	150	120	205	2470*830*1450	3000*1200*1700	WP6D132E200		6L	6.75	18	Water
KGW165	182	145	165	132	205	2470*930*1450	3000*1200*1700	WP6D152E200		6L	6.75	18	Water
KGW188	207	165	188	150	201	2550*950*1300	3300*1400*1700	WP6D167E200		6L	6.75	18	Water
KGW225	248	198	225	180	215	2750*1050*1400	3300*1400*1700	WP10D200E200		6L	9.726	24	Water
KGW250	275	220	250	200	215	2750*1050*1500	3300*1400*1700	WP10D238E200		6L	9.726	24	Water
KGW275	303	242	275	220	215	2900*1100*1550	3300*1400*1700	WP10D264E200		6L	9.726	24	Water
KGW350	385	308	350	280	210	2900*1100*1800	4300*2100*2300	WP10D320E200		6L	9.726	24	Water
KGW350	385	308	350	280	210	2900*1200*1800	4300*2100*2300	WP12D317E200		6L	11.596	24	Water
KGW438	482	385	438	350	210	3000*1000*1850	4300*2100*2300	WP13D385E200		6L	12.54	36	Water
KGW438	482	385	438	350	200	3000*1000*1850	4300*2100*2300	WP13D405E200		6L	12.54	36	Water
KGW500	550	440	500	400	197	3500*1500*1800	4700*2100*2450	6M26D447E200		6L	15.9	52	Water
KGW550	605	484	550	440	210	3500*1500*1800	4700*2100*2450	6M26D484E200		6L	15.9	52	Water
KGW625	688	550	625	500	210	3600*1500*1850	4700*2100*2450	6M33D572E200		6L	19.6	61	Water
KGW688	757	605	688	550	210	3600*1500*1900	4700*2100*2450	6M33D633E200		6L	19.6	61	Water
KGW750	825	660	750	600	210	3650*1500*1900	4700*2100*2450	6M33D670E200		6L	19.3	61	Water
KGW800	880	704	800	640	210	4350*1700*2100	6000*2300*2800	12M26D748E200		12V	31.8	109	Water
KGW875	963	770	875	700	210	4500*1800*2200	6000*2300*2800	12M26D792E200		12V	31.8	109	Water
KGW1000	1100	880	1000	800	210	4500*1850*2200	6000*2300*2800	12M26D902E200		12V	31.8	109	Water
KGW1100	1210	968	1100	880	210	4600*1900*2300	6000*2300*2800	12M26D968E200		12V	31.8	109	Water
KGW1250	1375	1100	1250	1000	210	4800*2000*2350	REQ	I2M33D1108E200		12V	39.2	155	Water
KGW1375	1513	1210	1375	1100	210	4800*2000*2350	REQ	I2M33D1210E200		12V	39.2	155	Water
KGW1500	1650	1320	1500	1200	210	4800*2050*2450	REQ	I2M33D1320E200		12V	39.2	155	Water